

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1324	349/149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:44
L2	403	349/152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:44
L3	1112	L1 not L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:44
L4	257	349/151.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:44
L5	1049	3 not L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:45
L6	218	5 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:45
L7	665	257/72.ccls. and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:08
L8	1	((driver adj circuit) and (operation adj line) and (feed adj line) and (signal adj line)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:10

L9	2856	361/683.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:10
L10	1055	9 and (lcd or electroluminesence or electro near2 optical or voltaic or led or (light near2 emitter) or optical or (photo near2 diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:12
L11	114	10 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:20
L12	0	("2003146693").PN.	US-PGPUB	OR	OFF	2005/07/19 11:22
L13	2	"2003146693"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:27
L14	1	("20030146693").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/19 11:33
L15	1	("20040080276").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/19 11:33
L16	1	("6531713").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/19 11:33
S1	30	((sub near2 driver) or (subdriver)) and display and tft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 17:14
S2	1	("20040125551").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/18 17:14
S3	11928	((power or source or feed) and signal and (current or operation)) near5 line) and (lcd or electrolumin or electro near2 optical or voltaic or led or (light near2 emitter) or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 14:48
S4	5236	S3 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 20:02

S5	6905	((power or source or feed) and signal and (current or operation)) near3 line) and (lcd or electroluminescence or electro near2 optical or voltaic or led or (light near2 emitter) or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:51
S6	3145	S5 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 14:49
S7	218	"257"/\$6.ccls. and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 14:57
S8	1889	257/72.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:00
S9	57	S7 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:12
S10	297	S6 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 16:54
S11	240	S10 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 16:58
S13	1	("6747322").PN.	USPAT	OR	OFF	2005/07/14 17:16
S14	1223	((power or source or feed) and signal and (current or operation)) near3 (wire or wiring)) and (lcd or electroluminescence or electro near2 optical or voltaic or led or (light near2 emitter) or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 20:02

S15	518	S14 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 20:02
S16	139	S15 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 20:03
S17	6905	((power or source or feed) and signal and (current or operation)) near3 line) and (lcd or electroluminescence or electro near2 optical or voltaic or led or (light near2 emitter) or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 20:03
S18	3145	S17 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 20:03
S19	218	"257"/\$6.ccls. and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 20:03
S20	57	S19 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 20:03
S21	297	S18 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:52
S22	240	S21 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 20:03

S23	115	S16 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 20:03
S24	93	S16 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 20:03
S25	41	257/114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:48
S26	703	257/211.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:48
S27	539	257/290.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:48
S28	630	257/291.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:48
S29	947	257/443.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:49
S30	247	257/444.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:49

S31	1640	257/700.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:49
S32	1722	257/690.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 17:07
S33	3338	257/758.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:49
S34	1889	257/72.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:49
S35	10848	S25 S26 S27 S28 S29 S30 S31 S32 S33 S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:49
S37	8682	S35 and (wire or wiring or line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 10:50
S38	2589	S37 and (lcd or electroluminescence or electro near2 optical or voltaic or led or (light near2 emitter) or optical or (photo near2 diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:12
S39	206	S38 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:52

S40	6905	((power or source or feed) and signal and (current or operation)) near3 line) and (lcd or electroluminescence or electro near2 optical or voltaic or led or (light near2 emitter) or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:52
S41	3145	S40 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:52
S42	218	"257"/\$6.ccls. and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:52
S43	189	S39 not S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:52
S44	6905	((power or source or feed) and signal and (current or operation)) near3 line) and (lcd or electroluminescence or electro near2 optical or voltaic or led or (light near2 emitter) or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:17
S45	3145	S44 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:53
S46	297	S45 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:53
S47	189	S43 not S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 10:53

S48	41315	((driver or driving) near3 circuit) and (lcd or electroluminescence or electro near2 optical or voltaic or led or (light near2 (emitter or emitting)) or (optical near3 display) or imager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:19
S49	34319	S48 and (line or electrode or wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:19
S50	15766	S48 and (signal near3 (line or electrode or wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:20
S51	13807	S48 and (signal near2 (line or electrode or wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:21
S52	12722	S51 and (power or vss or supply or current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:22
S53	6325	S52 and layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:22
S54	799	S53 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:23
S55	6905	((power or source or feed) and signal and (current or operation)) near3 line) and (lcd or electroluminescence or electro near2 optical or voltaic or led or (light near2 emitter) or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:23

S56	3145	S55 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:23
S57	218	"257"/\$6.ccls. and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:23
S58	767	S54 not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:23
S59	297	S56 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:24
S60	677	S58 not S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:24
S61	1223	((power or source or feed) and signal and (current or operation)) near3 (wire or wiring)) and (lcd or electroluminescence or electro near2 optical or voltaic or led or (light near2 emitter) or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:24
S62	518	S61 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:24
S63	139	S62 and ((wiring near3 board) or pcb or (print adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:24

S64	659	S60 not S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 10:25
S65	0	345/149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 17:08
S66	1323	349/149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 17:08
S67	256	349/151.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 18:07
S68	402	349/152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 17:08
S69	330	S68 not S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:43